

CK POWER®

Your Complete Source of Engine and Generator Power.

www.ckpower.com

CK Power Product Catalog



CK GAS®



JOHN DEERE

Kubota

KOHLER®

VOLVO
PENTA

www.ckpower.com



Table of Contents

Mission Statement

Company Overview

Engine Lines

Diesel and Natural Gas Generator Sets

Power Pak Generator Sets

Final Tier 4 Generators

Marine Generators

Natural Gas and Diesel Power Units

Diesel Final Tier 4 Power Units

Automated Power Units (APU)

Our Mission


CK Power is an engine distributor, manufacturer, fabricator and authorized service provider built on the belief that there is an intrinsic value and personal reward in producing product and providing service that exceeds client expectations. Each CK Power employee succeeds because our clients succeed.

CK acts responsibly to protect our environment, provide economic opportunity fairly, work safely and most of all, consider the person in all our business affairs. Our central focus is distributing engines and gensets with custom engineering, fabrication and assemblies to meet client needs. CK services include flexible lead times, custom design application, low cost manufacturing design, administrative support, and customized service maintenance plans.

CK maintains a solid core of business in proprietary products marketed and sold directly to the OEM and end user. From this core, CK provides contract manufacturing work using the same skills and specialty equipment. CK maintains a strong presence in a variety of markets including construction and agricultural equipment, marine, military, oil field, and others who distribute and manufacture gen sets for stationary or trailer mounted equipment.

CK is a robust company that adapts to the ebbs and flows in individual industries and economic climate accordingly allowing our clients to depend on us to be there when we are needed.

Our mission is to expand and continually improve. CK utilizes quality practices and employee involvement to distribute engines, design and manufacture products, and provide exceptional service that results in client and employee satisfaction.



Owner, Chief Executive Officer



JOHN DEERE

Kubota

CK GAS

KOHLER

VOLVO
PENTA

CK Power is a leading manufacturer of power units and power generator solutions for a variety of markets and customers. In addition to our manufacturing capabilities, CK Power has long been a leading distributor of new and remanufactured natural gas and diesel engines.

CK Power is also a proud distributor and authorized service provider of Kohler Power Systems. Our mission is to continually expand and improve our power solutions product offerings.

Power solutions Provider

CK Power provides power solutions to meet your application needs. From generator sets to power units our engineering team designs product with 30 years of application expertise.

Our Personnel

At the heart of CK Power are our employees. As a family-owned business, CK Power values the welfare and happiness of each and every one of our 100-plus employees, all of whom work diligently to support the team. They, in turn, enjoy a number of benefits, including healthcare and profit sharing, as well as a fun and challenging work environment.



CK Power headquarters building in St. Louis, Missouri



Industries We Serve



Construction



Oil and Natural Gas



Commercial Marine



Military



Utilities



Agriculture

Engine Lines and Tier 4 Solutions

CK POWER[®]

CK Power is a distributor for Kubota, Kohler, John Deere and Volvo Penta engines. CK Power specializes in

manufacturing products that meet your application needs. Please see below for more information on our engine lines:

Kubota:


Hp Range: 13.3-114 hp

Fuel Options: Diesel or NG/LP

Final Tier 4 Solution:

- Lower hp: Catalyst only
- Higher hp: DOC & DPF

Tier 3 Flex Engines Available



Kubota.

Kohler Industrial Engine (KDI):

Hp Range: 42-135 hp

Fuel Options: Diesel

Final Tier 4 Solution:

- Lower hp: Catalyst only
- Higher hp: SCR only



KOHLER.

John Deere:


Hp Range: 74-600 hp

Fuel Options: Diesel

Final Tier 4 Solution:

- Lower hp: (74 hp) DOC & DPF
- Higher hp: SCR, DOC & DPF

Tier 3 Flex Engines Available



Volvo Penta:

Hp Range: 141-690 hp

Fuel Options: Diesel

Final Tier 4 Solution:

- All Engine Models SCR

Tier 2 Flex Engines Available



CK Gas:

Hp Range: 15-530 hp

Fuel Options: NG/LP

EPA Certified or Un-Certified



Diesel and Natural Gas Generator Sets

CK POWER®

CK Power has manufactured prime power generator sets for over 30 years.

CK offers standard packages and

customized packages to meet the needs of our customer's applications. We are not the out of the box generator manufacturer. Please see below for more information.



NG/LP Gensets: CK GAS®

CK Power offers a complete line of NG/LP prime power generator sets from 13-400 kW. With the rising costs of diesel fuel the NG/LP option has become the most cost effective option.

Diesel Gensets:

CK Power offers a complete line of prime power diesel generator sets from 45-625 kW. We have the option to supply Tier 2, 3 and FT4 solutions to meet your application needs. Please see below for our full line up of CK Generator Sets:



CK Power Pak Gensets

CK **POWER**[®]

CK Power has developed a line of small, quiet, dependable mobile generator sets. The CK Power Paks range from 3-45 kW.

These units have been used in numerous applications from utility companies, military and custom fabricated marketing vehicles to a personal luxury mobile home. Please see below for more details.

CK Power Pak Gensets

Standard CK controller on all models. CK Power offers a complete line of optional equipment; please contact your CK Sales Representative for more information.



*On board CK Power PAK



Mobile Final Tier 4 Generator Models & Sizes

CK Power has designed, built and tested a full line up of Final Tier 4 generator sets. We are not your standard generator manufacturer. We build generator solutions that meet the needs of a customers application. We can provide our standard spec generator or we can customize the product to meet your needs.

*All kW/kVA (3 phase / .8 power factor)

Model	Prime	Standby	Spec Available
CK6-6H	5kW / 1 phase	6kW / 1 phase	X
CKT15KM-T4	12kW / 1 phase	15kW / 1 Phase	X
CKT35KM-T4	25kW / 31kVA	30kW / 35kVA	X
CKT50KM-T4	35kW / 43kVA	40kW / 50kVA	X
CKT60DM-T4	45kW / 56kVA	50kW / 60kVA	X
CKT85DM-T4	60kW / 75kVA	70kW / 85kVA	X
CKT125DM-T4	95kW / 118kVA	100kW / 125kVA	X
CKT175VM-T4	120kW / 150kVA	140kW / 175kVA	X
CKT200VM-T4	140kW / 175kVA	160kW / 200kVA	X
CKT230VM-T4	160kW / 200kVA	185kW / 230kVA	X
CKT250VM-T4	180kW / 225kVA	200kW / 250kVA	X
CKT300VM-T4	225kW / 280kVA	250kW / 300kVA	X
CKT375VM-T4	275kW / 343kVA	300kW / 375kVA	X
CKT430VM-T4	325kW / 406kVA	350kW / 430kVA	X
CKT680VM-T4	500kW / 625kVA	550kW / 680kVA	X
CKT780VM-T4	550kW / 687kVA	625kW / 780kVA	X

Tier 2 (Flex) Unit

Model	Prime	Standby	Spec Available
CK680VM-T2	500kW / 625kVA	550kW / 680kVA	X
CK750VM-T2	550kW / 687kVA	600kW / 750kVA	X



Marine Generators



CK Power has been supplying our nation's river system with power for over 30 years. We offer a complete

line of Marine Generator Sets, Auxiliary Power Units and Propulsion engines. Please see below for more detail or for more information contact your CK Power sales representative.

CK Power has been supplying our nation's river system with power for over 30 years. We offer a complete line of Marine Generator Sets, Auxiliary Power Units and Propulsion engines. Please see below for more detail or for more information contact your CK Power sales representative.

Model	US EPA Marine Tier	John Deere Engine Model	Prime Rating 3 Phase 0.8 PF
CKM40DM-4	3	PE4045TFM85-TMGK3-99	40 kW
CKM50DM-3	3	PE4045TFM85-TMGK3-99	50 kW
CKM65DM-3	3	PE4045TFM85-TMGK3-99	65 kW
CKM75DM-3	3	PE4045AFM85-AMGK3-148	75 kW
CKM100DM-3	3	PE4045AFM85-AMGK3-148	100 kW
CKM125DM-3	2	PE6068AFM75-AMGK2-223	125 kW
CKM125DM-3	3	PE6068AFM85-AMGK2-223	125 kW
CKM150DM-3	2	PE6068AFM75-AMGK2-223	150 kW
CKM150DM-3	3	PE6068AFM85-AMGK2-223	150 kW
CKM175DM-3	3	RG6090AFM85-AMGK2-297	175 kW
CKM200DM-3	3	RG6090AFM85-AMG-K2-297	200 kW
CKM250DM-3	3	RG135AFM85-AMGK1-448	250 kW
CKM275DM-3	3	RG135AFM85-AMGK1-448	275 kW
CKM300DM-3	3	RG135AFM85-AMGK1-448	300 kW





Standard Equipment:

- Water Cooled Turbo and Exhaust Manifold
- Keel-Cooled
- Optional Heat Exchanger Cooling with Sea Water Pump
- Electronic Governor
- Fuel Transfer Pump
- Replaceable Wet Type Cylinder Liners
- Corrosion Resistant Components
- 12 Volt Electrics
- Air Cleaner
- Battery, Battery Rack, and Cables
- Raycor Fuel/Water Separator
- Closed Crankcase Ventilation
- Engine/Generator Control/Instrument Panel
- Oil Drain Extension
- Belt Guard
- Heavy-Duty Skid with Isolator Pads
- Marathon Mariner ABS Type Re-connectable Generator End
- US EPA Marine Compliant
- IMO Compliant

Marine Auxiliary Drive Variable Speed Power Units

Standard Equipment:

- Fuel Injection System with Governor
- Fuel Transfer Pump
- Water & Oil Pump & Oil Cooler
- Oil & Fuel Filters
- Intake & Exhaust Manifolds
- 12 Volt Starter & Alternator
- Spark Arrestor Muffler
- Murphy/John Deere Instrument Panel with Throttle and Gauges with Low Oil Pressure and High Water Temp Shutdowns
- Inline PTO
- Battery, Rack, and Cables
- SAE Flywheel Housing with Flywheel for Overcenter Clutch
- Donaldson Air Cleaner with Removable Element & Inlet Hood
- Oil & Antifreeze
- Heavy Duty Pedestal Mount
- 120° Cooling System
- Front Grill and Hood
- Raycor Fuel/Water Separator Oil Drain Extension

Power Unit	EPA Tier	Engine Model	BHP @ MAX RPM
CKM135H485-600	Marine Tier 3	RG6135HF485	600 @ 2100
CKM90H485-375	Marine Tier 3	RG6090HF485	375 @ 2200
CKM68H485-250	Marine Tier 3	PE6068HF485	250 @ 2200
CKM68H485-250	Marine Tier 3	PE4045TF285	99@2200

Marine Auxiliary Generator Sets

Standard Equipment:

- 12 Volt Starter & Alternator
- Spark Arrestor Muffler
- Murphy Control Panel with A/C meters, engine gauges and shutdowns
- Battery Rack and Cables
- Electric Governor
- Donaldson Air Cleaner with Removable Element & Inlet hood
- Oil & Antifreeze
- Heavy Duty Skid
- 120 degree cooling system
- Raycor Fuel/Water Separator
- Oil Drain Extension
- Main Line Breaker

Generator Set	EPA Tier	Engine Model	Prime Rating 3 Phase 60 Hz
CKMA100-45H285	Marine Tier 3	PE4045H285	100 kW
CKMA60-45T285	Marine Tier 3	PE4045TF285	60 kW

*Several Options available upon request

Natural Gas and Diesel Power Units



Markets Served

Oil and Gas
OEM

Agricultural
Military

Forestry
Construction

CK Power offers a complete line of Diesel and Natural Gas Power units ranging from 15Hp-760 Hp. CK Power specializes in engineering the power unit to your application need. Please see below for more details:

NG/LP Power Units

NG/LP CKPU's are available from 15-239 hp. CK Power offers EPA certified, non-certified and EPA compliant power units. CK Power can customize your power unit to meet your application needs.



Final Tier 4 Transition Power Units:

Diesel Tier 4 Transition Power Units are available from 13-768 HP (Dependent upon engine line). CK Power offers a wide range of Tier 2/3 Flex power units using Kubota, John Deere and Volvo Penta engines. Availability limited to current inventory and EPA regulations.

CK Power offers a complete line of optional equipment; please contact your CK Sales Representative for more information.

Tier 4 Power Units

Diesel Final Tier 4 Power Units

CK Power has engineered, developed and tested a full line of Final Tier 4 power units (FT4). CK Power has the ability to choose from multiple FT4 solutions to find the solution that is going to meet your applications need. CK Power wants to make the FT4 transition as cost effective as possible for our customers. CK Power prides themselves on finding a high quality, efficient solution for our customers while putting money back in their pockets.

Diesel Final Tier 4 Power units available: 13-690 Hp. Please contact your CK Sales Representative for more information.

Kubota

- Hp Range: 13.3-114 hp
Fuel Options: Diesel or NG/LP
Final Tier 4 Solution:
- Lower hp: Catalyst only
 - Higher hp: DOC & DPF



KOHLER

- Hp Range: 42-135 hp
Fuel Options: Diesel
Final Tier 4 Solution:
- Lower hp: Catalyst only
 - Higher hp: SCR only



JOHN DEERE

- Hp Range: 74-600 hp
Fuel Options: Diesel
Final Tier 4 Solution:
- Lower hp: (74 hp) DOC & DPF
 - Higher hp: SCR, DOC & DPF



VOLVO PENTA

- Hp Range: 141-690 hp
Fuel Options: Diesel
Final Tier 4 Solution:
- All Engine Models SCR



Automated Power Unit

APU Features:

- EMS PRO CK Custom Murphy Controller
- Emergency Stop (E-Stop) for manual shutdowns
 - Pump-off controller friendly
 - Dual fuel NG and LPG
- EPA Quad J certified engines (Kohler CH730 only)
 - Battery Rack and Cables
- Single point lifting bale for easy setting and removing
- Oil Field Skid and Enclosure that meets any safety criteria.
 - Belt Guard
- Extended Oil Filter System



Automated Power Units **CK**GAS®

Model	CK25	CK50	CK100
Engine	Kubota	GM 4.3	GM 5.7
HP (NG)	25	92	133
Output Shaft RPM	606-1090	500-1500	500-1500
Max RPM/HP	3600/25	3000/92	3000/133
*Output Shaft Torque, Ft-lbs.	112	352	478
NO. Cylinders	3i	V6	V8
Bore and Stroke (in.)	2.93 x 2.9	4.0 x 3.5	4.0 x 3.5
Displacement (in ³)	58.7	287	350
Engine Dry Weight	225 lbs	525 lbs	675
NG Fuel Consumption (ft ³ /hr)	250	497	Call for info

APU Options:

- Extended Warranty
- Preventative Maintenance Contracts
- Remote Monitoring
- Cold Weather Packages
- Fully Contained Safety Enclosures
- Several options available upon request





St. Louis Office (HQ)

1100 Research Boulevard • St. Louis, MO 63132

Hours: 8am – 5pm, Monday – Friday

Phone: (314) 868-8620

Fax: (314) 868-9314

Emergency After Hours Phone: (314) 868-8624

info@ckpower.com

Kansas City Office

9910 Lakeview Ave. • Lenexa KS 66219

Phone: (913) 213-5600

Fax: (913) 213-5602

Toll Free: (855) 626-2535

Emergency After Hours Phone: (913) 232-2678

info@ckpower.com

West Kansas CK Power/CK Gas Service Center

315 W First Street • Cunningham, KS 67035-0265

Phone: (913) 213-5600

Fax: (913) 213-5602

Toll Free: (855) 626-2535

info@ckpower.com

Springfield Office

2630 North Westgate Avenue • Springfield, MO 65803

Hours: 8am – 5pm, Monday – Friday

Phone: (417) 755-7270

Fax: (417) 755-7271

Emergency 24 Hours Phone: (417) 755-7269

info@ckpower.com

Oklahoma City Office

5817 SW 21st Street • Oklahoma City, OK 73128-1834

Hours: 8am-5pm, Monday- Friday

Phone: (405) 605-0972

Fax: (405) 605-4374

Emergency 24 Hours Phone: (405) 605-1959

info@ckpower.com



JOHN DEERE



Specifications subject to change without notice.

www.ckpower.com